Application No.	Applicant(s)	
	BARRY, MICHAEL ROY	
Examiner	Art Unit	
Mitra Aryanpour	3711	
OR REMAINS) CLOSED in this appropriate communication HTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
een received. een received in Application No ments have been received in this r	national stage applica	
		IOTICE OF
Amendment / Comment or in the O (c)) should be written on the drawing header according to 37 CFR 1.121(c) tof BIOLOGICAL MATERIAL n	office action of legs in the front (not the d).	
6. ☑ Interview Summary Paper No./Mail Dat), 7. ☑ Examiner's Amendn	(PTO-413), enent/Comment ent of Reasons for Allo	ŕ
	PR REMAINS) CLOSED in this approther appropriate communication HTS. This application is subject to and MPEP 1308. Per 35 U.S.C. § 119(a)-(d) or (f). Peen received. Peen received in Application No	BARRY, MICHAEL Art Unit witra Aryanpour rs on the cover sheet with the correspondence addr R REMAINS) CLOSED in this application. If not include r other appropriate communication will be mailed in due HTS. This application is subject to withdrawal from issu and MPEP 1308. er 35 U.S.C. § 119(a)-(d) or (f). een received. een received in Application No ments have been received in this national stage applications have been received in this national stage application. ed. Note the attached EXAMINER'S AMENDMENT or Note that the a

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Carol W. Burton on 20 January 2006.

The application has been amended in the claims as follows:

In claim 1, line 4, --having a non-linear portion-- has been inserted after "member".

In claim 5, line 3, "Further" has been changed to --further-- before "comprising".

NOTE: The above changes have been made to overcome informalities, in order to put this

application in condition for allowance.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Mitra Aryanpour whose telephone number is 571-272-4405. The

examiner can normally be reached on Monday - Friday 10:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Gene Kim can be reached on 571-272-4463. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

Art Unit: 3711

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

20 January 2006

MITRA ARYANPOUR PRIMARY EXAMINER